



**HOGESCHOOL
UTRECHT**

TU/e EINDHOVEN
UNIVERSITY OF
TECHNOLOGY

Measuring Circularity

The Gordian Knot of the 21st century




Arjen Wierikx
January 25, 2023

SMART  **CIRCULAR**
PASSION FOR LOGISTICS, ALLERGY TO WASTE

Agenda





- ❖ Introduction
- ❖ The circular challenge
- ❖ State of art
- ❖ Design principles
- ❖ Prototype
- ❖ Invitation

Passion For Logistics Allergic To Waste




SMART CIRCULAR
PASSION FOR LOGISTICS, ALLERGY TO WASTE

www.slimcirculair.info



Research question




How can organizations use Digital Technology strategies to increase Circular Economy performance?

Broken down into:

1. How do we measure CE performance on a micro level?
2. How to determine DT strategies?
3. Impact of DT strategies on CE performance

SER: Make Raw Materials transition a priority



September 16, 2022:

SER (social economic board) **exploration: Climate targets will not be achieved without accelerating the raw materials transition**


“High-quality reuse of raw materials and materials, high-quality use of bio-based raw materials and making international chains more sustainable are necessary conditions for both transitions. Cohesive policy is therefore crucial.”

Ed Nijpels, chairman SER-commission Sustainable Development

- ❖ Energy transition and Raw materials transition are at odds;
- ❖ With CO2 we can make the energy transition measurable. What about the raw materials transition / circularity?

The 4th List of Critical Raw Materials

From 14 in 2011 to 30 in 2020




Materials

Supply Risk
(sorted largest to smallest)

Very high	LREEs HREEs
High	Magnesium Niobium Germanium Borates Scandium
Moderate	Strontium Cobalt PGMs Natural graphite
Low	Indium Vanadium Lithium Tungsten Titanium Gallium, Hafnium Silicon metal
Very low	Manganese Chromium Zirconium Tellurium Nickel, Copper

Technologies



Sectors



Where we are?



Governments worldwide are announcing that they want to be 100% circular by 2050 (EC, 2011).



Euhh, that is 27 (!!) years from now.






The Naked Truth.....

THE GLOBAL ECONOMY IS NOW ONLY 7.2% CIRCULAR

The global situation is getting worse year on year—driven by rising material extraction and use.

Rising material extraction has shrunk global circularity: from 9.1% in 2018, to 8.6% 2020, and now 7.2% in 2023. This leaves a huge Circularity Gap: the globe almost exclusively relies on new (virgin) materials.


This means that more than 90% of materials are either wasted, lost or remain unavailable for reuse for years as they are locked into long-lasting stock such as buildings and machinery.



Materials that are cycled back into the global economy after the end of their useful life, otherwise known as secondary materials, account for 7.2% of all material inputs into the economy—this is the Circularity Metric.

[How do we measure circularity? ↗](#)

A little better for the Netherlands



The Netherlands is a global frontrunner in the race to circularity with a Circularity Metric of 24.5%. However, the government has ambitious goals: an economy that is 50% circular by 2030 and 100% circular by 2050. The Circularity Gap Report, the Netherlands, recommends wide-ranging ways in which the economy can pivot away from its linear habits across four key sectors: agriculture, construction, manufacturing and energy. The suggested strategies could triple the Dutch metric from 24.5% to 70%.

[Explore the full report](#)

<https://www.circularity-gap.world/countries>




How circular are you / is your organization?

- 0-5%
- 5-10%
- 10-15%
- 15-25%
- 25-50%
- 25-75%
- 75-100%



> 115 definitions
(Kirchher et al., 2017)




1 Hunting and fishing
2 Can take both post-harvest and post-consumer waste as an input

SOURCE
Ellen MacArthur Foundation
Circular economy systems diagram (February 2019)
www.ellenmacarthurfoundation.org
Drawing based on Braungart & McDonough,
Cradle to Cradle (C2C)

Strategies


R-strategies / narrowing, slowing, closing
o.a. Potting et al. (2017) and Bocken et al. (2016)

Circular economy		Strategies	
Smarter product use and manufacture	R0 Refuse	Make product redundant by abandoning its function or by offering the same function with a radically different product	
	R1 Rethink	Make product use more intensive (e.g. by sharing product)	
	R2 Reduce	Increase efficiency in product manufacture or use by consuming fewer natural resources and materials	
Extend lifespan of product and its parts	R3 Reuse	Reuse by another consumer of discarded product which is still in good condition and fulfils its original function	
	R4 Repair	Repair and maintenance of defective product so it can be used with its original function	
	R5 Refurbish	Restore an old product and bring it up to date	
	R6 Remanufacture	Use parts of discarded product in a new product with the same function	
	R7 Repurpose	Use discarded product or its parts in a new product with a different function	
Useful application of materials	R8 Recycle	Process materials to obtain the same (high grade) or lower (low grade) quality	
	R9 Recover	Incineration of material with energy recovery	
Linear economy			




Exploring Circular Performance

Current State of art



SLR & Exploratory interviews/survey

Systematic Literature Review following Denyer & Tranfield (2009)




- 10 interviews (manufacturers, wholesale)
- Survey
(http://www.slimcirculair.info/1126611_circulariteit-meetbaar-maken)

Publication explosion..

751 and counting




Publications on CE & Performance



Source: constructed by authors


macro, meso, micro thinking in de circular economy

Focus on micro: "what's in it for me?"




Macro, meso and micro level overview (Javaid, Javed & Kohda, 2019)

Snapshot (semi) commercially available tools



Existing tools for the assessment of the circular economy (Valls-Val et al., 2022)

Findings



Reference	Approaches	Characteristic
(Valls-Val et al., 2022)	12	Tools capable of measuring the level of circularity of organisations.
(Vinante et al., 2021)		Focus on 365 different firm level metrics, classified in 23 categories.
(Kravchenko et al., 2020)		Review and ex-ante classification of sustainability performance indicators for proactive CE-strategies assessment
(Kristensen & Mosgaard, 2020)	30	Focus on micro level, zooming in on 'CE categories' and connection to Sustainable Development (SD) dimensions. Less attention for implementation perspective. Also includes grey literature.
(Lindgreen et al., 2020)	74	Newly constructed review framework, applying four review perspectives: A general, descriptive (methodological), normative (inclusion of SD/CE dimensions), and prescriptive (implementation-focused) perspective.
(Corona et al., 2019)	72	Zooms in on 'validity', 'reliability', and 'utility' of metrics, and connection to existing methodologies (Life Cycle Assessment (LCA)/Material Flow Analysis (MFA), no focus on micro level.
(Moraga et al., 2019)	20	Introduces classification framework for CE indicators, both on macro- as well as micro level. Addresses different CE strategies captured by indicators.
(Parchomenko et al., 2019)	63	Applies Multiple Correspondence Analysis (MCA) to assess metrics. No distinction between different levels of assessment.
(Michael Saidani et al., 2019)	55	Proposes intricate taxonomy of indicators, applying 10 differentiation categories.
(Sassanelli et al., 2019)	45	Collects and reviews CE-performance assessment methods. Primary focus on methodological foundation. No specification of level of assessment.
(Elia et al., 2017)		Review, analyses, and comparison on how environmental assessment methodologies based on quantitative indicators are effective in measuring CE-strategies' level of application in companies, products and services.

- ❑ 11 meta studies
- ❑ Reference set of 731 papers

- ❑ 125(!) models to make CE measurable
- ❑ 365 (!) micro level parameters

The Gordian knot

- ❖ Scientific transparency is lacking (Valls-Val et al., 2022) ;
- ❖ Varying substantiation (Sacco et al., 2021);
- ❖ Focus on in-& outflow / LCA & MFA;
- ❖ Inconsistent in purpose, scope and application (Saidani et al., 2019);
- ❖ Lack of standardization (Vinante et al., 2020; Kristensen et al., 2020);
- ❖ Terminology not formalized (Baratsas et al., 2022);
- ❖ Confusion and ambiguity (Vinante et al., 2020; Fiksel et al., 2012)

Some results of the survey

Significant visibility, response not yet representative



- ❑ 75% of respondents is NOT measuring circularity (lack of expertise and or tooling (90%))
- ❑ Measuring circularity should be done once a year (62,5%) by top management (37,5%) or external consultants (37,5%)
- ❑ Strong desire to link current performance with growth scenario's (87,5%)
- ❑ Max time to complete circular maturity scan: 1 hour
- ❑ Circular quality label?: (50/50)

Interviews confirm the picture

- ❖ “We use CO2 because **other units of measurement are not clear**”;
- ❖ “**Circular turnover** is reported annually, based on four indicators that we measure company-wide”;
- ❖ “**I have no idea how to measure**, I had hoped that you would come and tell me”;
- ❖ “We really want to measure circular performance, but we feel enormously **hampered by regulations, laws and OEMs**”;
- ❖ “If my customers want this, I will pay attention to it”;
- ❖ “For a small part of the business, we use **a simplified version of the CTI Tool**”;
- ❖ “**We separate waste**”....

Hypothesis


There is not yet a really good tool for making circular performance holistically measurable that can also be used in SMEs in the Netherlands.

Co-evolution / complexity science

the one influences the other




A co-evolutionary perspective on the Circular Economy



Source: Allen, P. M., & Varga, L. (2006)


Co-evolutionary development of CE




Source: created by Walraven, P. (2022) based on Allen, P. M., & Varga, L. (2006) and adjusted by author.

We are getting there

Converging knowledge



Intrinsic motivation





Standardization & Normation



Regulations

Holistic ambitions

based on R-ladder, Porter & Lean



Circular economy

↑


Increasing circularity

↓

Linear economy

	Strategies	
Smarter product use and manufacture	R0 Refuse	Make product redundant by abandoning its function or by offering the same function with a radically different product
	R1 Rethink	Make product use more intensive (e.g. by sharing product)
	R2 Reduce	Increase efficiency in product manufacture or use by consuming fewer natural resources and materials
Extend lifespan of product and its parts	R3 Reuse	Reuse by another consumer of discarded product which is still in good condition and fulfils its original function
	R4 Repair	Repair and maintenance of defective product so it can be used with its original function
	R5 Refurbish	Restore an old product and bring it up to date
	R6 Remanufacture	Use parts of discarded product in a new product with the same function
	R7 Repurpose	Use discarded product or its parts in a new product with a different function
Useful application of materials	R8 Recycle	Process materials to obtain the same (high grade) or lower (low grade) quality
	R9 Recover	Incineration of material with energy recovery

New initiatives... Eliminating leaks.. Thinking differently...




C Consumer
F Focal firm
S Supplier

g goods
s value added services
r re-acquired products



New entities in new networks




Source: Suzanne et al. (2020)

The challenge

holistic, dynamic, accessible and longitudinal

- ❑ **Holistic:** Circular performance is more than just a focus on material flows.
- ❑ **Dynamic:** Domain is in constant motion, capabilities can (will) change over time;
- ❑ **Accessible:** Attractive. Feeling invited to participate to increase response;
- ❑ **Longitudinal:** Being able to make visible what to do to develop to the next level based on a benchmark.

Circular performance Viewed through the lens of process maturity




Source Uhrenholt et al. (2022)

Model creation methodology


following Moultrie et al. (2007)

DSR as underlying perspective (Cross, 2001; Hevner et al., 2004)



Our model

Based on Moultrie et al. (2007)



Experiments:

- Capability identification with reps. from 5 companies in Delphi workshop
- Prototype Circular Maturity Model based on literature

Model creation methodology

dimension selection



<ol style="list-style-type: none"> 1. strategy, 2. products/services, 3. technology, 4. people and culture, 5. management 6. processes 	<ol style="list-style-type: none"> 1. Strategy & policy 2. Management & control 3. Organization & process 4. People & culture 5. Information technology 	<ol style="list-style-type: none"> 1. Strategy 2. Leadership 3. Customers 4. Product 5. Operations 6. Culture 7. People 8. Governance 9. Technology 	<ol style="list-style-type: none"> 1. Value creation 2. Governance 3. People & Skills 4. Supply Chain & Partnership 5. Operations & Technology 6. Product & Material 	<ol style="list-style-type: none"> 1. Economic 2. Environmental 3. Social 4. Policy 5. Process 6. Product 7. Strategy 8. Technology
Williams et al., 2019	Paavel et al., 2017	Mittal et al., 2018	Uhrenholt et al., 2022	Kayikci et al., 2022


Dimension selection

1. Strategy
2. People
3. Product
4. Process
5. Technology
6. Environmental


Model creation methodology

capability identification

Steenbergen et al, 2013; Cleven et al., 2012; Poeppebuss et al., 2011; Mettler et al., 2010 / 2011; Scott, 2007; Rosemann and De Bruin, 2005



Next steps – invitation to participate



Model creation methodology


Delphi-rounds

- ❑ For each dimension
- ❑ Expert panel of industry representatives, scientists and consultants
- ❑ Using meeting-wizard
- ❑ Capability recognition
- ❑ Giving meaning to capabilities
- ❑ Capabilities (add, change, delete)

Multiple case studies



- Scope
- Case selection
- Case study protocol



Hypothesis

Circular performance, viewed through the lens of maturity will not only give me insight into where I stand today but also, through benchmarking, offers me directions on how to grow tomorrow.

Invitation to participate



Survey: Current Circular Measuring Regime (in Dutch only)	https://www.slimcirculair.info/1126611_circulariteit-meetbaar-maken
Prototype Circular Performance Maturity Model (in English)	https://www.slimcirculair.info/1170474_prototype-circular-performance-maturity-model
Capability validation in (on-line) Delphi session	mailto: arjen.wierikx@hu.nl
Model validation in (in depth) case study	mailto: arjen.wierikx@hu.nl

Are you participating and/or do you have any questions?



www.slimcirculair.info
arjen.wierikx@hu.nl

Measuring circularity, untangling a Gordian Knot